


DATA SHEET



Dual Mounting Plate Horizontal (NUMPD92-H)

Features

- Dual plate for module with spacer plastic
- Designed for NU-xxx-HE modules
- Covers wall mounting holes of teleCARE M modules
- Designed for modules combined with speech
- Designed for horizontal placement of combined modules

Technical Specifications

Dual Mounting Plate Horizontal

Item	NUMPD92-H: white (NCS S0300-N)
Material	
Material	PBT/PC enclosure rated UL94-V0
Color	Housing: White (NCS S0300-N)
Dimensions (H x W x D)	92 x 183 x 8.6mm (3.62 x 7.20 x 0.34in.)
Weight	71.1g (2.51oz.)
Mounting	European Union standard plastic or metal backbox with 60mm (2.36 in.) mounting holes

Compatibility

Hardware Compatibility	NUxx-HE series modules

Environmental

Operating temperature:	0°C to 50°C (32°F to 122°F)
Storage temperature:	-25°C to 55°C (-13°F to 131°F)
Relative Humidity:	30 to 95% (non condensing)

Regulatory Compliance EU/EFTA

	The following complies with the relevant dates and amendments of all the following standards (valid references to dates and amendments are stated in the Declaration of Conformity): RoHS, REACH

Accessories

Accessories	Single frame NUF1U-HE
	Spacer NUSP1-HE
	Dual mounting plate cable 660678

Specifications are subject to change without notice

Ascom (Sweden) AB

Grimbodalen 2

SE-417 49 Göteborg

Sweden

Phone +46 31 55 93 00

www.ascom.com

ascom